



B6PLIC-9-13

6" Compact Fluorescent IC Housing

LAMP WATTAGE: UP TO 13W



DESIGNED FOR 2" X 8" JOIST CONSTRUCTION



Catalog Number:

Project Name:

Type:

Note:



DESCRIPTION

Thermally protected, specification grade compact fluorescent IC housing. For new construction where housing will be in direct contact with insulation. Accommodates (1) compact fluorescent lamp. Furnished with preinstalled adjustable bar hangers. Junction box is provided with four 1/2" KOs, one 3/4" KO and four Romex knockouts with strain relief.

SPECIFICATION


A. HOUSING - Die formed aluminum construction for maximum heat dissipation and rust protection. Adjusts vertically in plaster frame to accommodate 1/2" to 1-3/8" ceilings.

B. SOCKET - One vertically mounted plug-in socket. Unitized optics guarantees proper trim to housing installation. Tool-less installation adjusts from inside the housing.

C. BALLAST - Thermally protected, current controlled ballast, will produce full light output, increase lamp life with no noise and flicker. Ballast supplied is manufactured by Advance.

D. BAR HANGERS - Preinstalled bar hangers allow housing to be positioned and locked at any point within a 24" joist span. They can be positioned on either the long or short axis of the housing and can be shortened for 12" joists. They contain a double-headed real nail for 20° downward angle for better contact, and the 90° pivoting mounting plate makes installation fast and accurate. Bar hangers can fit onto T-Bar spline with additional slots and holes for special mounting methods if necessary.

E. JUNCTION BOX - UL listed for through-branch circuit wiring and has four 1/2" KOs, one 3/4" KO and four Romex knockouts with true pry-out slots and strain clamps.



BEAM DIA. MEASURED AT 50% OF NADIR F.C.

FEATURES

- Thermally Protected compact fluorescent IC housing.
- Integral fluorescent ballast.
- Adjustable socket bracket.
- Wire through junction box.
- Preinstalled adjustable bar hanger.
- Dependable, favorable design and effortless installation.
- 7-1/4" height allows use in 2" x 8" joist construction.
- Special screw on the frame locks bar hangers in place which prevents the housing from any movement once installed.

OPTIONS

AIR-SHUT

- Gasket to prevent air flow from heated or air conditioned spaces.
- Meets all national air flow requirements.

UL AND C-UL LISTED

- For Damp location
- For Feed-through wiring
- For Direct contact with insulation



B6PLIC-9-13 - ITEM SELECTOR: (Please check the boxes below for the option desired)

WATTAGE	BALLAST	VOLTAGE	EMERGENCY OPTIONS	TRIM TYPE	BAFFLE	REFLECTOR	TRIM/RING	GLASS
<input type="checkbox"/> 9W	<input type="checkbox"/> (M) Magnetic ¹	<input type="checkbox"/> 120	<input type="checkbox"/> EMG 750 (750 Lumens) ⁶	<input type="checkbox"/> B725 <input type="checkbox"/> B703 <input type="checkbox"/> B707 <input type="checkbox"/> B758	<input type="checkbox"/> W <input type="checkbox"/> CL	<input type="checkbox"/> WH	<input type="checkbox"/> Green	
<input type="checkbox"/> 13W		<input type="checkbox"/> 277	<input type="checkbox"/> EMG 1300 (1300 Lumens) ⁶	<input type="checkbox"/> B731 <input type="checkbox"/> B724 <input type="checkbox"/> B707L <input type="checkbox"/> B760	<input type="checkbox"/> P <input type="checkbox"/> RG	<input type="checkbox"/> BK	<input type="checkbox"/> Yellow	
			<input type="checkbox"/> EMG-D-750 (750 Lumens) ⁷	<input type="checkbox"/> B722 <input type="checkbox"/> B704 <input type="checkbox"/> B743 <input type="checkbox"/> B759	<input type="checkbox"/> SN <input type="checkbox"/> W	<input type="checkbox"/> SN	<input type="checkbox"/> Pink	
			<input type="checkbox"/> ICE-1300 (1300 Lumens) ⁸	<input type="checkbox"/> AF640 <input type="checkbox"/> B751 <input type="checkbox"/> B756 <input type="checkbox"/> B781	<input type="checkbox"/> CP <input type="checkbox"/> MB	<input type="checkbox"/> CP	<input type="checkbox"/> Brown	
				<input type="checkbox"/> B721 <input type="checkbox"/> B752 <input type="checkbox"/> B741 <input type="checkbox"/> B787	<input type="checkbox"/> BZ <input type="checkbox"/> BZ	<input type="checkbox"/> CH	<input type="checkbox"/> Navy Blue	
				<input type="checkbox"/> AF632 <input type="checkbox"/> B753 <input type="checkbox"/> B742 <input type="checkbox"/> B782		<input type="checkbox"/> PB	<input type="checkbox"/> Orange	
				<input type="checkbox"/> B701 <input type="checkbox"/> B754 <input type="checkbox"/> B737 <input type="checkbox"/> B788		<input type="checkbox"/> BZ	<input type="checkbox"/> Blue	
				<input type="checkbox"/> B702 <input type="checkbox"/> B705 <input type="checkbox"/> B755 <input type="checkbox"/> B785		<input type="checkbox"/> SHZ	<input type="checkbox"/> White	
				<input type="checkbox"/> B729 <input type="checkbox"/> B705L <input type="checkbox"/> B735 <input type="checkbox"/> B796			<input type="checkbox"/> Red	
				<input type="checkbox"/> B620 <input type="checkbox"/> B706 <input type="checkbox"/> B736 <input type="checkbox"/> B780				
				<input type="checkbox"/> B723 <input type="checkbox"/> B706L <input type="checkbox"/> B757 <input type="checkbox"/> B789				

¹ - (M) Magnetic • ² - (S) Energy Star = Available on selected fixtures only, please see list above • ³ - MARK 7 = Not available in 9W, 13W, 57W, 70W • ⁴ - MARK 10 = Not available in 9W, 13W, 57W, 70W, must specify voltage • ⁵ - LUT-E (EC3D) = Not available in 9W, 13W, 57W, 70W • ⁶ - EMG = Emergency battery pack w/ remote test switch • ⁷ - EMG-D = Emergency battery pack w/ remote test switch for damp location • ⁸ - ICE = Emergency battery pack w/ remote test switch operating between -18°C and 55°C • ⁹ - FUSE = Single slow-blow fuse • ¹⁰ - RIF = Radio interference filter

Specifications:

B6PLIC WATT BALLAST VOLTAGE AIR-SHUT EMERGENCY OPTIONS TRIM TYPE REFLECTOR BAFFLE RING GLASS

BAFFLE	REFLECTOR	TRIM/RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	BZ Bronze	CH Chrome
	CP Copper	PB Polish Brass
	SN Satin Nickel	BZ Bronze
	SHZ Satin Haze	

Sample of Catalog Number: **B6PLIC-9W-M-120-EMG750-B731W-WH**

*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.



Submission form is available @ www.iuseelite.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: ELITE LIGHTING-SPEC-06-29-2011

6" CFL Trims

(LAMP WATTAGE: UP TO 13W)

Catalog Number:

Project Name:

Type:

Note:



B725W-WH
BAFFLE WITH FROSTED DOME

AVAILABLE COLOR COMBINATIONS:
CP-CP, SN-SN, W-WH, P-WH, P-BK

7-1/4"

B731W-WH
FULL CONE BAFFLE

AVAILABLE COLOR COMBINATIONS:
W-WH, P-WH, SN-SN, CP-CP, BZ-BZ

7-1/4"

B722W-CL-WH
CONE REFLECTOR BAFFLE

AVAILABLE COLOR COMBINATIONS:
W-CL-WH, P-CL-WH, W-W-WH

7-1/4"

AF640W-WH
DEEP SELF FLANGE AIR-SHUT BAFFLE

AVAILABLE COLOR COMBINATIONS:
W-WH, P-WH, SN-SN, CP-CP, BZ-BZ

7-1/4"

B721CL-WH
CONE REFLECTOR

AVAILABLE COLOR COMBINATIONS:
CL-WH, CL-CH, RG-WH, W-WH, MB-WH, CP-CP, SN-SN

7-1/4"

AF632RG-WH
AIR-SHUT REFLECTOR

AVAILABLE COLOR COMBINATIONS:
CL-WH, CL-CH, RG-WH, W-WH, MB-WH, CP-CP, SN-SN

7-1/4"

B701CP-WH
CONE REFLECTOR

AVAILABLE COLOR COMBINATIONS:
CL-WH, CL-CH, SHZ-WH, RG-WH, W-WH, MB-WH, CP-CP, SN-SN

7-1/4"

B702P-RG-WH
CONE REFLECTOR/BAFFLE TRIM

BAFFLE FINISH:
W, P

REFLECTOR FINISH:
CL, RG

TRIM/RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

7-1/4"

B729W-WH
BAFFLE WALL WASH

AVAILABLE COLOR COMBINATIONS:
W-WH, P-WH, SN-SN, CP-CP, BZ-BZ

COVER FINISH:
WH, BK

7-1/4"

B620-NAVY BLUE
GLASS TRIM

GLASS FINISH:
GREEN, YELLOW, PINK, BROWN, NAVY BLUE, ORANGE, WHITE, RED

7-1/4"

B723MB-WH
WALL WASH REFLECTOR

AVAILABLE COLOR COMBINATIONS:
CL-WH, CL-CH, RG-WH, RG-PB, W-WH, MB-WH, CP-CP, SN-SN

COVER FINISH:
WH, BK

7-1/4"

B703RG-WH
WALL WASH REFLECTOR

REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

COVER FINISH:
WH, BK

7-1/4"

B724W-CL-WH
REFLECTOR BAFFLE WALL WASH

AVAILABLE COLOR COMBINATIONS:
W-CL-WH, P-CL-WH, W-W-WH

COVER FINISH:
WH, BK

7-1/4"

B704W-CL
REFLECTOR BAFFLE WALL WASH

BAFFLE FINISH:
W, P

REFLECTOR FINISH:
CL, RG

COVER FINISH:
WH, BK

7-1/4"

B751WH
SMOOTH FROST DOME SHOWER LENS

LENS:
FROSTED

TRIM/RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

8"

B752WH
DESIGNER POINT SHOWER LENS

LENS:
FROSTED/CLEAR

TRIM/RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

8"

6" CFL Trims

(LAMP WATTAGE: UP TO 13W)

Catalog Number:

Project Name:

Type:

Note:




B753WH
DESIGNER CONE SHOWER LENS



LENS:
FROSTED

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ




8"

B754WH
SMOOTH FROST SHOWER LENS



LENS:
FROSTED

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



8"

B705CP
METAL ALBALITE LENS



LENS:
ALBALITE

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



8"

B705L
PLASTIC ALBALITE LENS



LENS:
ALBALITE

TRIM/RING FINISH:
WHITE PLASTIC




8"

B706PB
METAL FRESNEL LENS



LENS:
FRESNEL

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



8"

B706L
PLASTIC FRESNEL LENS



LENS:
FRESNEL

TRIM/RING FINISH:
WHITE PLASTIC




8"

B707CP
METAL DROP OPAL LENS



LENS:
DROP OPAL

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



8"

B707L
PLASTIC DROP OPAL LENS



LENS:
DROP OPAL

TRIM/RING FINISH:
WHITE PLASTIC



8"

B743RG-WH
REFLECTOR W/ DROP OPAL LENS



REFLECTOR FINISH:
CL, RG, W, MB,
CP, SN

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ




7-1/4"

B756CL-WH
REFLECTOR W/ PRISMATIC LENS



REFLECTOR FINISH:
CL, RG, W, MB,
CP, SN

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ




7-1/4"

B741RG-WH
REFLECTOR W/ ALBALITE LENS



REFLECTOR FINISH:
CL, RG, W, MB,
CP, SN

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



7-1/4"

B742CL-WH
REFLECTOR W/ FRESNEL LENS



REFLECTOR FINISH:
CL, RG, W, MB,
CP, SN

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



7-1/4"

B737W-WH
BAFFLE W/ DROP OPAL LENS



BAFFLE FINISH:
W, P, SN, CP, BZ

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ




7-1/4"

B755W-WH
BAFFLE W/ PRISMATIC LENS




BAFFLE FINISH:
W, P, SN, CP, BZ

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



7-1/4"

B735P-WH
BAFFLE W/ ALBALITE LENS



BAFFLE FINISH:
W, P, SN, CP, BZ

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



7-1/4"

B736W-WH
BAFFLE W/ FRESNEL LENS



BAFFLE FINISH:
W, P, SN, CP, BZ

TRIM/RING FINISH:
WH, BK, SN, CP, CH,
PB, BZ



7-1/4"

6" CFL Trims

(LAMP WATTAGE: UP TO 13W)














Catalog Number:

Project Name:

Type:

Note:



<p>B757W-WH BAFFLE W/ FROSTED DOME SHOWER LENS</p>   <p>BAFFLE FINISH: W, P, SN, CP, BZ</p> <p>TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ</p>  <p>7-1/4"</p>	<p>B758CL-WH REFLECTOR W/ FROSTED DOME SHOWER LENS</p>   <p>REFLECTOR FINISH: CL, RG, W, MB, CP, SN</p> <p>TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ</p>  <p>7-1/4"</p>	<p>B760W-WH BAFFLE W/ FROSTED LENS</p>   <p>BAFFLE FINISH: W, P, SN, CP, BZ</p> <p>TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ</p>  <p>7-1/4"</p>	<p>B759CL-WH REFLECTOR W/ FROSTED LENS</p>   <p>REFLECTOR FINISH: CL, RG, W, MB, CP, SN</p> <p>TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ</p>  <p>7-1/4"</p>
<p>B781CP-WH SQUARE BAFFLE TRIM</p>  <p>BAFFLE FINISH: W, P, SN, CP, BZ</p> <p>TRIM/RING FINISH: WH, BK, SN, CP</p>  <p>7-1/2"</p>	<p>B787CP-WH SQUARE REFLECTOR TRIM</p>  <p>REFLECTOR FINISH: CL, RG, W, MB, SN, CP</p> <p>TRIM/RING FINISH: WH, BK, SN, CP</p>  <p>7-1/2"</p>	<p>B782CL-W-WH SQUARE REFLECTOR/BAFFLE TRIM</p>  <p>REFLECTOR FINISH: CL</p> <p>BAFFLE FINISH: W, P</p> <p>TRIM/RING FINISH: WH, BK, SN, CP</p>  <p>7-1/2"</p>	<p>B788WH SQUARE ALBALITE SHOWER LENS</p>   <p>LENS: WHITE</p> <p>TRIM/RING FINISH: WH</p>  <p>7-1/2"</p>
<p>B785WH SQUARE FRESNEL LENS</p>   <p>LENS: FROSTED</p> <p>TRIM/RING FINISH: WH</p>  <p>7-1/2"</p>	<p>B796WH SQUARE SMOOTH FROST DOME LENS</p>   <p>LENS: FROSTED</p> <p>TRIM/RING FINISH: WH</p>  <p>7-1/2"</p>	<p>B780WH SQUARE DESIGNER POINT LENS</p>   <p>LENS: FROSTED/CLEAR</p> <p>TRIM/RING FINISH: WH</p>  <p>7-1/2"</p>	<p>B789WH SQUARE DESIGNER CONE LENS</p>   <p>LENS: FROSTED</p> <p>TRIM/RING FINISH: WH</p>  <p>7-1/2"</p>

BAFFLE	REFLECTOR	TRIM RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	CP Copper	CH Chrome
	SN Satin Nickel	PB Polish Brass
		BZ Bronze

*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.