

# H3LV

## 3" Low Voltage Downlight

Architectural


Catalog Number:

Project Name:

Type:

Note:

**MAXILUME**  
ARCHITECTURAL LIGHTING



**A. Height** = 5-1/2"

**B. Trim Aperture** = 3-1/2"

**C. Cut-out** = 3-3/4"

**D. Trim Outside Diameter** = 3-7/8"

**E. Width** = 5-1/2"

**F. Length** = 8"

### DESCRIPTION

**1. REFLECTOR** - 16 gauge aluminum.

**2. TRIM** - All die-cast aluminum. Can take up to 2 optical accessories.

**3. COVER LENS** - High temperature tempered glass.

**4. SOCKET** - Porcelain bi-pin socket.

**5. MOUNTING BRACKET** - Is constructed from 16-gauge steel and is supplied with C-channels that are adjustable up to 26".

**6. JUNCTION BOX** - UL listed for through-branch circuit wiring. Junction Box is accessible from below, no tools required.

**7. MOUNTING FRAME** - Non-IC Insulation must be kept 3" away from fixture sides and wiring compartments, and must be placed above fixture in a manner which will entrap heat.



**H3LV- ITEM SELECTOR:** (Please check the boxes below for the option desired)

WATTAGE	BALLAST	VOLTAGE	TRIM TYPE & DESCRIPTION			BAFFLE	REFLECTOR	TRIM RING
<input type="checkbox"/> 50W MR16	<input type="checkbox"/> (M) Magnetic	<input type="checkbox"/> 120	<input type="checkbox"/> B1378	<input type="checkbox"/> B1303	<input type="checkbox"/> B1324	<input type="checkbox"/> W	<input type="checkbox"/> CL	<input type="checkbox"/> WH
<input type="checkbox"/> 75W MR16	<input type="checkbox"/> (E) Electronic	<input type="checkbox"/> 277	<input type="checkbox"/> B1379	<input type="checkbox"/> B1366		<input type="checkbox"/> P	<input type="checkbox"/> RG	<input type="checkbox"/> BK
	<input type="checkbox"/> (TOR) Toroidal*		<input type="checkbox"/> B1383	<input type="checkbox"/> B1314		<input type="checkbox"/> SN	<input type="checkbox"/> W	<input type="checkbox"/> SN
	<i>*Toroidal = Available only in 120V</i>		<input type="checkbox"/> B1384	<input type="checkbox"/> B1315		<input type="checkbox"/> CP	<input type="checkbox"/> MB	<input type="checkbox"/> CP
			<input type="checkbox"/> B1380	<input type="checkbox"/> B1362		<input type="checkbox"/> BZ	<input type="checkbox"/> CP	<input type="checkbox"/> CH
			<input type="checkbox"/> B1391	<input type="checkbox"/> B1352			<input type="checkbox"/> SN	<input type="checkbox"/> PB
			<input type="checkbox"/> B1390	<input type="checkbox"/> B1368				<input type="checkbox"/> BZ
			<input type="checkbox"/> B1395	<input type="checkbox"/> B1312				
			<input type="checkbox"/> B1301	<input type="checkbox"/> B1304				
			<input type="checkbox"/> B1302	<input type="checkbox"/> B1377				
			<input type="checkbox"/> B1316	<input type="checkbox"/> B1320				
			<input type="checkbox"/> B1326	<input type="checkbox"/> B1325				
		<b>AIR-SHUT</b>						
		<input type="checkbox"/> AT						

### Specifications:

H3LV

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_  
WATT BALLAST VOLTAGE TRIM TYPE REFLECTOR BAFFLE RING

BAFFLE	REFLECTOR	TRIM RING
<b>W</b> White	<b>CL</b> Chrome	<b>WH</b> White
<b>P</b> Black	<b>RG</b> Gold	<b>BK</b> Black
<b>SN</b> Satin Nickel	<b>W</b> White	<b>SN</b> Satin Nickel
<b>CP</b> Copper	<b>MB</b> Black	<b>CP</b> Copper
<b>BZ</b> Bronze	<b>CP</b> Copper	<b>CH</b> Chrome
	<b>SN</b> Satin Nickel	<b>PB</b> Polish Brass
		<b>BZ</b> Bronze

Sample of Catalog Number: **H3LV-50W MR16-120-B1301-SN-WH**

**MAXILUME**  
ARCHITECTURAL LIGHTING

A division of  
**Elite Lighting**

Submittal form is available @ [www.maxilume.com](http://www.maxilume.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions  
subject to change without notice.

MAX-SPECS 2011-03-08

# 3" Low Voltage Optics

Catalog Number:


Project Name:

Type:

Note:


**MAXILUME**  
ARCHITECTURAL LIGHTING

**B1378SN-SN  
STEPPED BAFFLE (35° TILT)**




**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ

**B1379CL-WH  
REFLECTOR (35° TILT)**



**AVAILABLE COLOR COMBINATIONS:**  
CL-WH, CL-SN, RG-WH, MB-WH, W-WH, MB-BK, RG-PB, SN-SN, CL-CH, CP-CP, CP-WH, SN-WH

**B1383WH  
SLOT APERTURE (35° TILT)**




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1384P-WH  
FULLY ADJUSTABLE W/ BAFFLE**




(35° TILT, 359° ROTATION)





**AVAILABLE COLOR COMBINATIONS:**  
W-WH, P-WH, P-BK, CP-CP, SN-SN, BZ-BZ

**B1380WH  
FULLY ADJUSTABLE (35° TILT, 359° ROT.)**




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1391P-WH  
PINHOLE WITH BAFFLE**




**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ

**B1390WH-PEACH  
METROPOLITAN ICE LITE**




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB  
  
**GLASS FINISH:**  
BLUE, PEACH, GREEN, CLEAR, AMBER, FROSTED

**B1395CL-SN  
SEMI-FROSTED SHOWER TRIM**




**REFLECTOR FINISH:**  
CL  
  
**RING FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1301CP-CP  
STEPPED BAFFLE**





**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ

**B1302CP-WH  
REFLECTOR**




**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, CP-WH, W-WH, RG-WH, SN-SN, SN-WH, MB-WH, CL-WH, MB-BK, RG-PB, CL-CH, CL-SN

**B1316CL-WH  
REFLECTOR (35° TILT)**




**AVAILABLE COLOR COMBINATIONS:**  
CL-WH, CL-SN, CL-PB

**B1326CL-WH  
THE ILLUMINATOR II**





**AVAILABLE COLOR COMBINATIONS:**  
CL-WH, CL-SN, CL-BK, MB-BK

**B1366CL-WH  
THE ILLUMINATOR**




**AVAILABLE COLOR COMBINATIONS:**  
CL-WH, CL-SN, CL-BK, MB-BK

**B1303WH  
SLOT APERTURE**




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

**B1314P-WH  
PINHOLE WITH BAFFLE**



**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ

**B1315RG-WH  
PINHOLE WITH REFLECTOR**



**AVAILABLE COLOR COMBINATIONS:**  
CL-WH, CL-SN, RG-WH, MB-WH, W-WH, CP-CP

**MAXILUME**  
ARCHITECTURAL LIGHTING

A division of  
**Elite Lighting**

Submittal form is available @ [www.maxilume.com](http://www.maxilume.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions  
subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011

# 3" Low Voltage Optics

Catalog Number:


Project Name:

Type:

Note:


**MAXILUME**  
ARCHITECTURAL LIGHTING

## B1362WH SHOWER TRIM W/ FROSTED LENS




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

## B1352CL-WH SHOWER TRIM WITH REFLECTOR




**AVAILABLE COLOR COMBINATIONS:**  
CL-WH, CL-CH, RG-WH, RG-PB

## B1368W-WH FULLY ADJUSTABLE W/ BAFFLE (35° TILT)




**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK

## B1312SN FULLY ADJUSTABLE (35° TILT)




**TRIM FINISH:**  
WH, BK, SN, CP, CH, PB, BZ

## B1304W-WH EYEBALL W/ BAFFLE (47° TILT)




**AVAILABLE COLOR COMBINATIONS:**  
CP-CP, SN-SN, W-WH, P-WH, P-BK

## B1377CL-WH CROSSBLADE REFLECTOR



**AVAILABLE COLOR COMBINATION:**  
CL-WH

## B1320WH-CRYSTAL METROPOLITAN MOON LITE




**RING FINISH:**  
WH  
**GLASS FINISH:**  
GREEN, BLUE, AMBER, PEACH, FROSTED, CRYSTAL

## B1325WH-AMBER METROPOLITAN STEP LITE



**RING FINISH:**  
WH  
**GLASS FINISH:**  
GREEN, BLUE, AMBER, PEACH, FROSTED, CRYSTAL

## B1324WH-RED METROPOLITAN HONEY LITE



**RING FINISH:**  
WH  
**GLASS FINISH:**  
GREEN, BLUE, AMBER, PEACH, FROSTED, CRYSTAL

BAFFLE	REFLECTOR	TRIM RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	CP Copper	CH Chrome
	SN Satin Nickel	PB Polish Brass
		BZ Bronze

\*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.